





L Number	Hits	Search Text	DB	Time stamp
1	241	(546/293).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/21 16:20

Commonly
searched
10/089,625
and 10/731,488



chain nodes :

7 8 10 12 13 14 15 16 17 21 22 23 24 28

ring nodes :

1 2 3 4 5 6

chain bonds :

7-8 8-28 10-12 10-17 12-13 13-14 13-15 15-16 21-22 21-23 23-24

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

7-8 8-28 10-12 12-13 13-14 15-16 21-22 21-23 23-24

exact bonds :

10-17 13-15

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 :

G1:H, [*1]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 21:CLASS 22:CLASS
23:CLASS 24:Atom 28:CLASS

Generic attributes :

24:
Saturation : Unsaturated
Number of Carbon Atoms : less than 7
Number of Hetero Atoms : 2 or more
Type of Ring System : Monocyclic

Element Count :

Node 24: Limited

C,C4

N,N2

O,O0

S,S0

731,488
10/089,625

=>Testing the current file.... screen


ENTER SCREEN EXPRESSION OR (END):end

=> screen 2016 OR 2026 OR 2039 OR 2040 OR 2045 OR 2047

L1 SCREEN CREATED

=>

Uploading C:\Program Files\Common Files\System\Mapi\1033\NT\10089625.str



chain nodes :

7 8 10 12 13 14 15 16 17 21 22 23 24 28

ring nodes :

1 2 3 4 5 6

chain bonds :

7-8 8-28 10-12 10-17 12-13 13-14 13-15 15-16 21-22 21-23 23-24

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

7-8 8-28 10-12 12-13 13-14 15-16 21-22 21-23 23-24

exact bonds :

10-17 13-15

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 :

G1:H, [*1]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 21:CLASS
22:CLASS 23:CLASS 24:Atom 28:CLASS

Generic attributes :

24:

Saturation : Unsaturated
Number of Carbon Atoms : less than 7
Number of Hetero Atoms : 2 or more
Type of Ring System : Monocyclic

Element Count :

Node 24: Limited

C,C4

N,N2

O,O0

S,S0

L2 STRUCTURE UPLOADED

=> que L2 NOT L1

L3 QUE L2 NOT L1

=> d l3

L3 HAS NO ANSWERS

L1 SCR 2016 OR 2026 OR 2039 OR 2040 OR 2045 OR 2047

L2 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

L3 QUE L2 NOT L1

=> s l3 sss sam

SAMPLE SEARCH INITIATED 15:52:08 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 173 TO ITERATE

100.0% PROCESSED 173 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2671 TO 4249

PROJECTED ANSWERS: 1 TO 80

L4 1 SEA SSS SAM L2 NOT L1

=> s l3 sss ful

FULL SEARCH INITIATED 15:52:16 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3265 TO ITERATE

100.0% PROCESSED 3265 ITERATIONS

28 ANSWERS

SEARCH TIME: 00.00.01

L5 28 SEA SSS FUL L2 NOT L1

10/089,625

=> => s 15

L6 5 L5

=> d 16 1-5 bib,ab,hitstr

L6 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2004:20880 CAPLUS
 DN 140:72561
 TI High throughput screening of plant growth regulators using
 phytomixotrophic cells
 IN Kwak, Sang-soo; Lee, Haeng-soon; Kwon, Suk-yoon; Kim, Chang-jin; Lee,
 Hyang-burm; Lee, Sang-han
 PA Korea Research Institute of Bioscience and Biotechnology, S. Korea
 SO PCT Int. Appl., 46 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004003225	A1	20040108	WO 2003-KR1041	20030528
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS,				
	LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH,				
	PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ,				
	UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD,				
	RU, TJ, TM				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG,				
	CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC,				
	NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ,				
	GW, ML, MR, NE, SN, TD, TG				

PRAI KR 2002-36512 A 20020627

AB The present invention relates to a method for high throughput screening of
 plant growth regulator, more particularly to the method comprising; (1)
 culturing phytomixotrophic cells in a microwell plate in which candidates
 of plant growth regulator were added, (2) treating 2,3,5-
 triphenyltetrazolium chloride thereto, (3) reacting thereof by adding
 ethanol after removing solns. from microwells, (4) transferring the
 reacting solution into the new microwell plate, and (5) measuring optical d.
 with a high throughput screening reader. Since the method of the present
 invention can rapidly and conveniently screen many samples and can also
 evaluate in vivo activities of plant growth regulators, it can effectively
 be used as a screening method for plant growth inhibitors and activators.


IT 412928-75-7, LGC-42153

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL
 (Biological study); USES (Uses)

(high throughput screening of plant growth regulators using
 phytomixotrophic cells)


RN 412928-75-7 CAPLUS

CN Acetic acid, methoxy-, 1-[3-[[[(4,6-dimethoxy-2-
 pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl
 ester (9CI) (CA INDEX NAME)




RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2003:876367 CAPLUS
 DN 140:124001
 TI Degradation of the sulfonylurea herbicide LGC-42153 in flooded soil
 AU Kim, Jin; Liu, Kwang-hyeon; Kang, Seung-hun; Koo, Suk-jin; Kim, Jeong-han
 CS School of Agricultural Biotechnology, Seoul National University, Suwon,
 441-744, S. Korea
 SO Pest Management Science (2003), 59(11), 1260-1264
 CODEN: PMSCF; ISSN: 1526-498X
 PB John Wiley & Sons Ltd.
 DT Journal
 LA English
 AB LGC-42153, 2-fluoro-1-[3-(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]pyridin-2-yl]propyl methoxyacetate, is a new sulfonylurea herbicide for use in rice. Its breakdown and metabolism were studied in soil under flooded condition using radioactive tracers labeled at either the Pr group or the pyrimidine ring. The half-life of LGC-42153 was approx. 3.0 days. The mass balance over 120 days ranged from 94.0 to 104.2% of applied radiocarbon, and no significant amount of volatiles or [14C]carbon dioxide were observed. Solvent non-extractable radiocarbon reached 11.apprx.14% of applied radiocarbon at 120 days after treatment. The major metabolic reaction was the cleavage of the carboxyl ester bond to give 1-(4,6-dimethoxypyrimidin-2-yl)-3-[2-(1-hydroxy-2-fluoropropyl)pyridine-3-sulfonyl]urea, which underwent hydrolysis of the sulfonylurea bridge giving 2-(1-hydroxy-2-fluoro)propyl-3-pyridinesulfonamide and 4,6-dimethoxy-2-aminopyrimidine.
 IT **412928-75-7**, LGC-42153
 RL: BSU (Biological study, unclassified); BIOL (Biological study) (degradation of LGC-42153 in flooded soil)
 RN 412928-75-7 CAPLUS
 CN Acetic acid, methoxy-, 1-[3-[[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2003:713491 CAPLUS
 DN 139:376608
 TI Degradation of the sulfonylurea herbicide LGC-42153 in flooded soil
 AU Kim, Jin; Liu, Kwang-Hyeon; Kang, Seung-Hun; Koo, Suk-Jin; Kim, Jeong-Han
 CS School of Agricultural Biotechnology, Seoul National University, Suwon,
 441-744, S. Korea
 SO Pest Management Science (2003), 59(9), 1037-1042
 CODEN: PMSCFC; ISSN: 1526-498X
 PB John Wiley & Sons Ltd.
 DT Journal
 LA English
 AB LGC-42153 [2-fluoro-1-[3-(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]pyridin-2-yl]propyl methoxyacetate] is a new sulfonylurea herbicide for use in rice. Its breakdown and metabolism was studied in soil under flooded conditions using two radioactive tracer compds. labeled at either the Pr group or the pyrimidine ring. The half-life of LGC-42153 was approx. 3.0 days. The mass balance over 120 days ranged from 94.0 to 104.2% of applied radiocarbon, and no significant amount of volatiles or [¹⁴C]carbon dioxide were observed Solvent nonextractable radiocarbon reached about 11-14% of applied radiocarbon at 120 days after treatment. The major metabolic reaction was the cleavage of the carboxyl ester bond to give 1-(4,6-dimethoxypyrimidin-2-yl)-3-[2-(1-hydroxy-2-fluoropropyl)pyridine-3-sulfonyl]urea, which underwent hydrolysis of the sulfonylurea bridge giving 2-(1-hydroxy-2-fluoro)propyl-3-pyridinesulfonamide and 4,6-dimethoxy-2-aminopyrimidine.
 IT **412928-75-7**, LGC-42153
 RL: BSU (Biological study, unclassified); REM (Removal or disposal); BIOL (Biological study); PROC (Process)
 (degradation of the sulfonylurea herbicide LGC-42153 in flooded soil)
 RN 412928-75-7 CAPLUS
 CN Acetic acid, methoxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)



RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2003:97 CAPLUS
 DN 138:102337
 TI Aerobic soil metabolism of a new herbicide, LGC-42153
 AU Kim, Jin; Liu, Kwang-Hyeon; Kang, Seung-Hun; Koo, Suk-Jin; Kim, Jeong-Han
 CS School of Agricultural Biotechnology, Seoul National University, Suwon,
 441-744, S. Korea
 SO Journal of Agricultural and Food Chemistry (2003), 51(3), 710-714
 CODEN: JAFCAU; ISSN: 0021-8561
 PB American Chemical Society
 DT Journal
 LA English
 AB To elucidate the fate of a new sulfonylurea herbicide, LGC-42153
 [N-((4,6-dimethoxypyrimidin-2-yl)aminocarbonyl)-2-(1-methoxyacetoxy-2-
 fluoropropyl)-3-pyridinesulfonamide], in soil, an aerobic soil metabolism
 study was carried out for 120 days with [¹⁴C]LGC-42153 applied to a loamy
 soil. The material balance ranged from 90.7 to 101.5% of applied
 herbicide. The half-life of [¹⁴C]LGC-42153 was calculated to be approx. 9.0
 days. The degradation products resulted from the cleavage of the sulfonylurea
 bridge. The metabolites identified during the study were
 N-((4,6-dimethoxypyrimidin-2-yl)aminocarbonyl)-2-(1-hydroxy-2-
 fluoropropyl)-3-pyridinesulfonamide, 2-(1-hydroxy-2-fluoropropyl)-3-
 pyridinesulfonamide, and 4,6-dimethoxy-2-aminopyrimidine. No significant
 volatile products or [¹⁴C]carbon dioxide was observed during the study.
 Nonextractable ¹⁴C-residue reached 14.4-30.5% of applied material at 120
 days after treatment, and radioactivity was distributed mostly in the
 humin and fulvic acid fractions.
 IT **412928-75-7**, LGC 42153
 RL: AGR (Agricultural use); CPS (Chemical process); PEP (Physical,
 engineering or chemical process); REM (Removal or disposal); BIOL
 (Biological study); PROC (Process); USES (Uses)
 (aerobic soil metabolism of herbicide)
 RN 412928-75-7 CAPLUS
 CN Acetic acid, methoxy-, 1-[3-[[[(4,6-dimethoxy-2-
 pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl
 ester (9CI) (CA INDEX NAME)



RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2004 ACS on STN
 AN 2002:293643 CAPLUS
 DN 136:325552
 TI Preparation of herbicidally active pyridylsulfonfyl ureas
 IN Koo, Suk-Jin; Cho, Jin-Ho; Kim, Jeong-Su; Kang, Seung-Hun; Kang,
 Kyung-Goo; Kim, Dae-Whang; Chang, Hae-Sung; Ko, Young-Kwan; Ryu, Jae-Wook
 PA LG Chem Investment, Ltd., S. Korea
 SO PCT Int. Appl., 36 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

APPL PCT

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002030921	A1	20020418	WO 2000-KR1138	20001012
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG AU 2000079661 A5 20020422 AU 2000-79661 20001012 AU 760178 B2 20030508 BR 2000014412 A 20020611 BR 2000-14412 20001012 EP 1334099 A1 20030813 EP 2000-970259 20001012 EP 1334099 B1 20040310 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
PRAI WO 2000-KR1138	A	20001012		

OS CASREACT 136:325552; MARPAT 136:325552

AB The title compds. [I; n = 1-3; R = H, alkyl; R1 = H, alkyl, haloalkyl, etc.; X, Y = alkyl, alkoxy, haloalkoxy, halo] which show effective herbicidal activity in pre- and/or post-emergence treatment in rice farming, were prepared Thus, reacting erythro-4-chloro-2-[2-fluoro-1-(methoxyacetoxy)propyl]pyridine-3-carboxamide with Ph (4,6-dimethoxypyrimidin-2-yl)carbamate in the presence of DBU in MeCN afforded erythro-I [n = 1; R = Me; R1 = Cl; X, Y = OMe]. Herbicidal activity and phytotoxicity of the compds. I was tested and data given.

IT 412928-62-2P 412928-63-3P 412928-64-4P
 412928-69-9P 412928-70-2P 412928-71-3P
 412928-72-4P 412928-73-5P 412928-75-7P
 412928-76-8P 412928-77-9P 412928-78-0P
 412928-79-1P 412928-80-4P 412928-81-5P


RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of herbicidally active pyridylsulfonfyl ureas)

RN 412928-62-2 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[4-chloro-3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-63-3 CAPLUS

Acetic acid, methoxy-, (1R,2S)-1-[4-bromo-3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-64-4 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-4-methyl-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-69-9 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-70-2 CAPLUS


CN Acetic acid, methoxy-, (1R,2R)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 412928-71-3 CAPLUS
 CN Acetic acid, hydroxy-, (1R,2S)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 412928-72-4 CAPLUS
 CN Propanoic acid, 3-hydroxy-, (1R,2S)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 412928-73-5 CAPLUS
 CN Propanoic acid, 3-methoxy-, (1R,2S)-1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 412928-75-7 CAPLUS

CN Acetic acid, methoxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RN 412928-76-8 CAPLUS

CN Acetic acid, hydroxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RN 412928-77-9 CAPLUS

CN Propanoic acid, 3-hydroxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RN 412928-78-0 CAPLUS

CN Propanoic acid, 3-methoxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RN 412928-79-1 CAPLUS

CN Acetic acid, methoxy-, 1-[3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-4-methyl-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)




RN 412928-80-4 CAPLUS

CN Acetic acid, methoxy-, 1-[4-chloro-3-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)



RN 412928-81-5 CAPLUS

CN Acetic acid, methoxy-, 1-[4-bromo-3-[[[(4,6-dimethoxy-2-pyridinyl)amino]carbonyl]amino]sulfonyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)



IT 412928-85-9 412928-86-0 412928-87-1


412928-88-2

RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of herbicidally active pyridylsulfonyl ureas)

RN 412928-85-9 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-(aminosulfonyl)-4-chloro-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-86-0 CAPLUS


CN Acetic acid, methoxy-, (1R,2S)-1-[3-(aminosulfonyl)-4-bromo-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 412928-87-1 CAPLUS


CN Acetic acid, methoxy-, 1-[3-[[[(1,1-dimethylethyl)amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)



RN 412928-88-2 CAPLUS

CN Propanoic acid, 3-methoxy-, (1R,2S)-1-[3-[[[(1,1-dimethylethyl)amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



IT 412928-57-5P 412928-59-7P 412928-65-5P

412928-66-6P 412928-67-7P 412928-68-8P

412928-74-6P 412928-82-6P 412928-83-7P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of herbicidally active pyridylsulfonyl ureas)

RN 412928-57-5 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-(aminosulfonyl)-4-methyl-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-59-7 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[4-chloro-3-[[1,1-dimethylethyl]amino]sulfonyl]-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-65-5 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-66-6 CAPLUS

CN Acetic acid, hydroxy-, (1R,2S)-1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-67-7 CAPLUS

CN Propanoic acid, 3-methoxy-, (1R,2S)-1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-68-8 CAPLUS

CN Propanoic acid, 3-hydroxy-, (1R,2S)-1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



RN 412928-74-6 CAPLUS


CN Acetic acid, methoxy-, (1R,2R)-1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 412928-82-6 CAPLUS


CN Acetic acid, methoxy-, 1-[3-(aminosulfonyl)-2-pyridinyl]-2-fluoropropyl ester (9CI) (CA INDEX NAME)



RN 412928-83-7 CAPLUS

CN Acetic acid, methoxy-, (1R,2S)-1-[3-[[[1,1-dimethylethyl]amino]sulfonyl]-4-methyl-2-pyridinyl]-2-fluoropropyl ester, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> => d his

(FILE 'HOME' ENTERED AT 15:51:37 ON 21 MAR 2004)

FILE 'REGISTRY' ENTERED AT 15:51:41 ON 21 MAR 2004

L1 SCREEN 2016 OR 2026 OR 2039 OR 2040 OR 2045 OR 2047
 L2 STRUCTURE UPLOADED
 L3 QUE L2 NOT L1
 L4 1 S L3 SSS SAM
 L5 28 S L3 SSS FUL

FILE 'CAPLUS' ENTERED AT 15:52:22 ON 21 MAR 2004

L6 5 S L5

FILE 'CAOLD' ENTERED AT 15:52:45 ON 21 MAR 2004

=> s 15

L7 0 L5

=> log y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.42	180.27

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-3.47

CA SUBSCRIBER PRICE

STN INTERNATIONAL LOGOFF AT 15:52:58 ON 21 MAR 2004